Layer Desk

An endlessly flexible mix-and-match desk system designed for longevity, replaceability, and material variety.

Clip-on panels can easily be fixed into place, creating a versatile frame that can house drawers, cupboards and other functional elements. This can then can be dressed with a wide range of materials, creating near endless possibilities for aesthetic expression.


Its modular design allows for the easy replacement of panels, enabling users to update the desk's aesthetics with new materials. This eliminates the need to purchase a completely new desk for a refresh. Panels are built for easy disassembly, allowing for end-of-life recycling or material reuse.

Product Design Consultant Gensler.

Key features

CAD and BIM files available Easy to specify modular components Changeable clip on panels Handed to the left or right Heights: 760mm, 950mm, 1100mm DDA modules available Optional extras: integrated power, custom branding, LED skirting, sign-in platform, storage units, sit-stand adjustable worktop, infrared heater Various material and colour options available Available in 6-8 weeks (UK), 12-14 weeks (US)





Layer can be specified in a combination of material types.

For worktops (1) choose solid surface or Fenix.

Storage units (2) are available in black MDF, white solid surface and Veneer.

Our interchangeable panel facades (4) are available in various materials and options; Solid Surface, Charred Wood, Fluted Timber, Fabric, Metal, Tile and Veneer. Transaction box and upstands (3) can also be specified in Solid Surface, Veneer, Hot-Rolled Steel and Aged Brass.


All finished with a black or white painted trim (5).

Materials



Fenix

Front Panel Facades





Hot-Rolled Steel

Aged Brass

Charred Wood

Tile





Fabric



Veneer

Transaction Box and Upstand



Solid Surface






Aged Brass



Veneer

For a full list of our solid surface, fabric and metal colours, please refer to our colour chart. The printed representation of colours may vary from actual samples. Always request actual samples before ordering.



Layer Desk Modules



LD01 Left end W800 D875 H760 mm



LD02 Straight W800 D875 H760 mm



LD03 Right end W800 D875 H760 mm



LDO4 Corner 90° W875 D875 H760 mm



LD05 Corner 45° W1480 D1115 H760 mm



LD06 Left End DDA W800 D875 H760 mm Illustrations above relate to the product at 950mm height.



LD01 Left end with transaction box W800 D875 H950/1100 mm



LD02 Straight with transaction box W800 D875 H950/1100 mm



LD03 Right end with transaction box W800 D875 H950/1100 mm



LDO4 Corner 90° with transaction box W800 D875 H950/1100 mm



LD05 Corner 45° with transaction box W1480 D1115 H950/1100 mm



LD07 **Right End DDA** W800 D875 H760 mm



LD01 Left end with transaction box W800 D875 H950/1100 mm



LDO2 Straight with transaction box W800 D875 H950/1100 mm



LD03 Right end with transaction box W800 D875 H950/1100 mm



LDO4 Corner 90° with transaction box W800 D875 H950/1100 mm



LD05 Corner 45° with transaction box W1480 D1115 H950/1100 mm



LD01 Left end with slim transaction box W800 D875 H950/1100 mm



LDO2 Straight with slim transaction box W800 D875 H950/1100 mm



LD03 Right end with slim transaction box W800 D875 H950/1100 mm



LDO4 Corner 90° with slim transaction box W800 D875 H950/1100 mm



LD05 Corner 45° with slim transaction box W1480 D1115 H950/1100 mm

Accessories



RB Custom branding W800 H200 mm (recommended dimensions)



DU Drawer unit W400 D490 H700 mm



Cork pin board



LS LED skirting base

BBF

W400

D490

Drawer unit

H700 mm

H650-950

D600-3000 mm

Electric sit-stand desk



LS LED skirting overhang upstand



Infrared heating panel

Integrated power unit



CU Cupboard unit w400 D490 H700 mm

Manual sit-stand desk

H650-950

D600-3000 mm



BU Bin unit W400 D490 H700 mm



PU Printer unit W400 D490 H700 mm

Layer Desk Configurations



Configuration 1 W2400 D875 H760 mm





Configuration 2 W3200 D875 H760/950 mm





Configuration 3 W3200 D875 H760/950/1100 mm





Configuration 4 W4100 D875/975 H760/950/1100 mm





Configuration 5 W4100 D875/2425 H760/1100 mm





Configuration 6 W2475 D875/2475 H760/950 mm





Configuration 7 W4100 D875/2300 H760/950 mm





Configuration 8 W4150 D875/4150 H760/950 mm

